From: Minter, Douglas [Minter.Douglas@epa.gov]

Sent: 11/21/2020 12:19:57 AM

To: Logan, Paul [Logan.Paul@epa.gov]; Bahrman, Sarah [Bahrman.Sarah@epa.gov]; Varilek, Kimberly

[Varilek.Kimberly@epa.gov]

CC: Sierra-Lopez, Omar [Sierra-Lopez.Omar@epa.gov]

Subject: RE: For final review today: Dewey consultation closure letters

Ex. 5 AC/AWP

I am copying Kim in case she would like to weigh in on Monday.

Douglas

From: Logan, Paul <Logan.Paul@epa.gov> Sent: Friday, November 20, 2020 4:47 PM

To: Minter, Douglas <Minter.Douglas@epa.gov>; Bahrman, Sarah <Bahrman.Sarah@epa.gov>

Subject: RE: For final review today: Dewey consultation closure letters

Ex. 5 AC/AWP

Ex. 5 AC/AWP

Paul Logan

Senior Assistant Regional Counsel | EPA Region 8, Office of Regional Counsel 303.312.6854 | logan.paul@epa.gov

From: Minter, Douglas < Minter. Douglas@epa.gov >

Sent: Friday, November 20, 2020 3:47 PM

To: Logan, Paul < Logan. Paul@epa.gov>; Bahrman, Sarah < Bahrman. Sarah@epa.gov>

Subject: RE: For final review today: Dewey consultation closure letters

Ex. 5 AC/AWP

Look forward to hearing your thoughts, etc.

Thanks!

Douglas

From: Logan, Paul < Logan.Paul@epa.gov > Sent: Friday, November 20, 2020 1:17 PM
To: Bahrman, Sarah < Bahrman.Sarah@epa.gov >

Cc: Minter, Douglas < Minter. Douglas@epa.gov>; Sierra-Lopez, Omar < Sierra-Lopez. Omar@epa.gov>

Subject: RE: For final review today: Dewey consultation closure letters

Ex. 5 AC/AWP

Ex. 5 AC/AWP

Please let me know if you have any questions.

Paul Logan

Senior Assistant Regional Counsel | EPA Region 8, Office of Regional Counsel 303.312.6854 | logan.paul@epa.gov

From: Bahrman, Sarah < Bahrman. Sarah@epa.gov>

Sent: Friday, November 20, 2020 12:20 PM **To:** Logan, Paul < Logan. Paul@epa.gov>

Cc: Minter, Douglas < Minter. Douglas@epa.gov >; Sierra-Lopez, Omar < Sierra-Lopez. Omar@epa.gov >

Subject: FW: For final review today: Dewey consultation closure letters

Hi Paul -

Here's the signed letter as well as the latest templates.

Thanks!

Sarah E. Bahrman | Chief, Safe Drinking Water Branch | U.S. Environmental Protection Agency - Region 8 (p) 303.312.6243 | (c) 303.903.8515 | (f) 877.876.9101

From: Minter, Douglas < Minter. Douglas@epa.gov >

Sent: Friday, November 20, 2020 11:06 AM

To: Bahrman, Sarah < Bahrman. Sarah@epa.gov >
Cc: Sierra-Lopez, Omar < Sierra-Lopez. Omar@epa.gov >

Subject: RE: For final review today: Dewey consultation closure letters

Hi Sarah: here are final versions of both letters incorporating all comments from Kim, Paul, and Michael. Before we proceed further, do you think Darcy would like to review these today?

Douglas

From: Bahrman, Sarah < Bahrman. Sarah@epa.gov>

Sent: Friday, November 20, 2020 10:10 AM **To:** Minter, Douglas < <u>Minter.Douglas@epa.gov</u>>

Subject: FW: For final review today: Dewey consultation closure letters

Kim reviewed the letters.

Sarah E. Bahrman | Chief, Safe Drinking Water Branch | U.S. Environmental Protection Agency - Region 8 (p) 303.312.6243 | (c) 303.903.8515 | (f) 877.876.9101

From: Varilek, Kimberly < Varilek. Kimberly@epa.gov>

Sent: Friday, November 20, 2020 10:06 AM **To:** Bahrman, Sarah Sarah@epa.gov

Subject: RE: For final review today: Dewey consultation closure letters

Hi Sarah – sorry for the delay. I made some very minor, non-substantive comments to the letters. Thank you again. I will not be able to attend today's discussion, but please let me know if you have additional questions. Thank you! – Kim V.

Kimberly D. Varilek Tribal Affairs Branch Chief EPA Region 8 - Office of Regional Administrator 1595 Wynkoop St. Denver, CO 80202 (303) 312-6264 (303) 726-9193(c)

From: Bahrman, Sarah 8ent: Thursday, November 19, 2020 1:01 PM To: Varilek, Kimberly Varilek,Kimberly@epa.gov

Subject: For final review today: Dewey consultation closure letters

Hi Kim -

Hope you're doing well. We've made some minor final edits to these letters and wanted to give you one more chance to review today. We'd like to finalize and get ready for Darcy's signature in the next day or two so we are ready for permit signature on Tues. Paul and Mike's comments are reflected in these versions.

Thanks, and if I don't talk to you before then I hope you have a wonderful Thanksgiving - in whatever way is possible this year! ©
Sarah

Sarah E. Bahrman | Chief, Safe Drinking Water Branch | U.S. Environmental Protection Agency - Region 8 (p) 303.312.6243 | (c) 303.903.8515 | (f) 877.876.9101